


DIN 46234
Junta soldada




| Sección mm ² | Referencia | Borne mm | Dimensiones (mm) | | | | | | |
|-------------------------|------------|----------|------------------|------|-----|------|------|------|-----|
| | | | a | C | øD1 | OD2 | d3 | L | S |
| 0,5-1,5 | A-3-1 | 3 | 5.0 | 4.0 | 1.6 | 3.2 | 6.0 | 11.0 | 0,8 |
| | A-4-1 | 4 | | | | 4.3 | 8.0 | 12.0 | |
| | A-5-1 | 5 | | | | 5.3 | 10.0 | 13.0 | |
| | A-6-1 | 6 | | | | 6.5 | 11.0 | 16.0 | |
| 1,5-2,5 | A-3-2.5 | 3 | 5.0 | 4.5 | 2.3 | 3.2 | 6.0 | 11.0 | 0,8 |
| | A-4-2.5 | 4 | | | | 4.3 | 8.0 | 12.0 | |
| | A-5-2.5 | 5 | | | | 5.3 | 10.0 | 14.0 | |
| | A-6-2.5 | 6 | | | | 6.5 | 11.0 | 16.0 | |
| | A-8-2.5 | 8 | | | | 8.4 | 14.0 | 17.0 | |
| 4-6 | A-4-6 | 4 | 6.0 | 6.0 | 3.6 | 4.3 | 8.0 | 14.0 | 1.0 |
| | A-5-6 | 5 | | | | 5.3 | 10.0 | 15.0 | |
| | A-6-6 | 6 | | | | 6.5 | 11.0 | 16.0 | |
| | A-8-6 | 8 | | | | 8.4 | 14.0 | 19.0 | |
| | A-10-6 | 10 | | | | 10.5 | 18.0 | 21.0 | |
| | A-12-6 | 12 | | | | 13.0 | 18.0 | 21.0 | |
| 10 | A-5-10 | 5 | 8.0 | 8.0 | 4.5 | 5.3 | 10.0 | 16.0 | 1.1 |
| | A-6-10 | 6 | | | | 6.5 | 11.0 | 17.0 | |
| | A-8-10 | 8 | | | | 8.4 | 14.0 | 20.0 | |
| | A-10-10 | 10 | | | | 10.5 | 18.0 | 21.0 | |
| | A-12-10 | 12 | | | | 13.0 | 22.0 | 23.0 | |
| 16 | A-5-16 | 5 | 10.0 | 10.5 | 5.8 | 5.3 | 11.0 | 20.0 | 1.2 |
| | A-6-16 | 6 | | | | 6.5 | 11.0 | 20.0 | |
| | A-8-16 | 8 | | | | 8.4 | 14.0 | 22.0 | |
| | A-10-16 | 10 | | | | 10.5 | 18.0 | 24.0 | |
| | A-12-16 | 12 | | | | 13.0 | 22.0 | 26.0 | |
| 25 | A-5-25 | 5 | 11.0 | 12.0 | 7.5 | 5.3 | 12.0 | 25.0 | 1.5 |
| | A-6-25 | 6 | | | | 6.5 | 12.0 | 25.0 | |
| | A-8-25 | 8 | | | | 8.4 | 16.0 | 25.0 | |
| | A-10-25 | 10 | | | | 10.5 | 18.0 | 26.0 | |
| | A-12-25 | 12 | | | | 13.0 | 22.0 | 31.0 | |

DIN 46234
Junta soldada

| Sección mm ² | Referencia | Borne mm ² | Dimensiones (mm) | | | | | | |
|----------------------------|------------|--------------------------|------------------|------|------|------|------|------|-----|
| | | | a | c | øD1 | OD2 | d3 | L | S |
| 35 | A-6-35 | 6 | 12.0 | 15.0 | 9.0 | 6.5 | 15.0 | 26.0 | 1.6 |
| | A-8-35 | 8 | | | | 8.4 | 16.0 | 26.0 | |
| | A-10-35 | 10 | | | | 10.5 | 18.0 | 27.0 | |
| | A-12-35 | 12 | | | | 13.0 | 22.0 | 31.0 | |
| | A-16-35 | 16 | | | | 17.0 | 28.0 | 36.0 | |
| 50 | A-6-50 | 6 | 16.0 | 17.0 | 11.0 | 6.5 | 18.0 | 34.0 | 1.8 |
| | A-8-50 | 8 | | | | 8.0 | 18.0 | 34.0 | |
| | A-10-50 | 10 | | | | 10.5 | 18.0 | 34.0 | |
| | A-12-50 | 12 | | | | 13.0 | 22.0 | 36.0 | |
| | A-16-50 | 16 | | | | 17.0 | 28.0 | 40.0 | |
| 70 | A-6-70 | 6 | 18.0 | 21.0 | 13.0 | 6.5 | 22.0 | 38.0 | 2.0 |
| | A-8-70 | 8 | | | | 8.4 | 22.0 | 38.0 | |
| | A-10-70 | 10 | | | | 10.5 | 22.0 | 38.0 | |
| | A-12-70 | 12 | | | | 13.0 | 22.0 | 38.0 | |
| | A-16-70 | 16 | | | | 17.0 | 28.0 | 42.0 | |
| 95 | A-8-95 | 8 | 20.0 | 23.0 | 15.0 | 8.4 | 24.0 | 42.0 | 2.5 |
| | A-10-95 | 10 | | | | 10.5 | 24.0 | 42.0 | |
| | A-12-95 | 12 | | | | 13.0 | 24.0 | 42.0 | |
| | A-16-95 | 16 | | | | 17.0 | 28.0 | 44.0 | |
| 120 | A-8-120 | 8 | 22.0 | 24.0 | 16.5 | 8.4 | 24.0 | 44.0 | 3.0 |
| | A-10-120 | 10 | | | | 10.5 | 24.0 | 44.0 | |
| | A-12-120 | 12 | | | | 13.0 | 24.0 | 44.0 | |
| | A-16-120 | 16 | | | | 17.0 | 28.0 | 48.0 | |
| 150 | A-10-150 | 10 | 24.0 | 28.0 | 19.0 | 10.5 | 30.0 | 50.0 | 3.2 |
| | A-12-150 | 12 | | | | 13.0 | 30.0 | 50.0 | |
| | A-16-150 | 16 | | | | 17.0 | 30.0 | 50.0 | |
| 185 | A-10-185 | 10 | 28.0 | 33.0 | 21.0 | 10.5 | 36.0 | 50.0 | 3.5 |
| | A-12-185 | 12 | | | | 13.0 | | | |
| | A-16-185 | 16 | | | | 17.0 | | | |
| 240 | A-10-240 | 10 | 32.0 | 36.0 | 23.5 | 10.5 | 38.0 | 56.0 | 4.0 |
| | A-12-240 | 12 | | | | 13.0 | | | |
| | A-16-240 | 16 | | | | 17.0 | | | |

TUBULARES



| Sección mm ² | Referencia | Dimensiones (mm) | | | | | | |
|-------------------------|------------|------------------|------|------|------|------|------|------|
| | | Ød2 | B | L | E | F | ød | ØD |
| 10 mm ² | T-10-6 | 6.4 | 10.0 | 25.0 | 9.0 | 10.0 | 4.5 | 6.2 |
| | T-10-8 | 8.4 | 12.6 | 26.0 | | | | |
| 16 mm ² | T-16-5 | 5.3 | 10.0 | 30.0 | 12.0 | 11.0 | 5.4 | 7.1 |
| | T-16-6 | 6.4 | 10 | 30.0 | | | | |
| | T-16-8 | 8.4 | 12.6 | 30.0 | | | | |
| 25 mm ² | T-25-6 | 6.4 | 12.6 | 30.0 | 12.0 | 11.0 | 6.8 | 8.8 |
| | T-25-8 | 8.4 | 12.6 | 30.0 | | | | |
| | T-25-10 | 10.5 | 15.0 | 32.0 | | 12.5 | | |
| 35 mm ² | T-35-6 | 6.4 | 15.0 | 35.0 | 13.0 | 14.0 | 8.2 | 10.6 |
| | T-35-8 | 8.4 | 15.0 | 35.0 | | | | |
| | T-35-10 | 10.5 | 15.0 | 35.0 | | | | |
| | T-35-12 | 13.0 | 18.6 | 36.8 | | 12.0 | | |
| 50 mm ² | T-50-8 | 8.4 | 18.0 | 43.0 | 16.0 | 17.0 | 9.5 | 12.4 |
| | T-50-10 | 10.5 | 18.0 | | | | | |
| | T-50-12 | 13.0 | 19.0 | | | | | |
| 70 mm ² | T-70-8 | 8.4 | 21.0 | 50.0 | 18.0 | 20.0 | 11.2 | 14.7 |
| | T-70-10 | 10.5 | 21.0 | | | | | |
| | T-70-12 | 13.0 | 21.0 | | | | | |
| 95 mm ² | T-95-10 | 10.5 | 25.5 | 55.0 | 20.0 | 22.0 | 13.5 | 17.4 |

| | | | | | | | | |
|---------------------|----------|------|------|-------|------|------|------|------|
| | T-95-12 | 13.0 | 25.5 | | | | | |
| 120 mm ² | T-120-10 | 10.5 | 28.0 | 60.0 | 22.0 | 24.0 | 15.0 | 19.4 |
| | T-120-12 | 13.0 | 28.0 | | | | | |
| | T-120-14 | 15.0 | 28.0 | | | | | |
| | T-120-16 | 17.0 | 28.0 | | | | | |
| 150 mm ² | T-150-12 | 13.0 | 30.5 | 69.0 | 26.0 | 27.0 | 16.5 | 21.2 |
| | T-150-14 | 15.0 | 30.5 | | | | | |
| | T-150-16 | 17.0 | 30.5 | | | | | |
| 185 mm ² | T-185-12 | 13.0 | 34.0 | 78.0 | 32.0 | 29.0 | 18.5 | 23.5 |
| | T-185-14 | 15.0 | 34.0 | | | | | |
| | T-185-16 | 17.0 | 34.0 | | | | | |
| 240 mm ² | T-240-14 | 15.0 | 38.5 | 92.0 | 38.0 | 34.0 | 21.0 | 26.5 |
| | T-240-16 | 17.0 | 38.5 | | | | | |
| | T-240-18 | 19.0 | 38.5 | | | | | |
| 300 mm ² | T-300-14 | 15.0 | 43.5 | 101.0 | 42.0 | 37.0 | 23.5 | 30.0 |
| | T-300-16 | 17.0 | 43.5 | | | | | |
| | T-300-18 | 19.0 | 43.5 | | | | | |
| 400 mm ² | T-400-16 | 17.0 | 53.0 | 114.0 | 44.0 | 44.0 | 28.5 | 36.5 |
| | T-400-18 | 19.0 | 53.0 | | | | | |
| | T-400-20 | 21.0 | 53.0 | | | | | |
| 500 mm ² | T-500-16 | 17.0 | 56.0 | 124.0 | 48.0 | 48.0 | 30.0 | 39.0 |
| | T-500-18 | 19.0 | 56.0 | | | | | |
| | T-500-20 | 21.0 | 56.0 | | | | | |
| 625 mm ² | T-625-16 | 17.0 | 63.5 | 130.0 | 52.0 | 51.0 | 34.5 | 44.0 |
| | T-625-18 | 19.0 | 63.5 | | | | | |
| | T-625-20 | 21.0 | 63.5 | | | | | |